# SAFETY DATA SHEET

Version 4.9 Revision Date 03/03/2015 Print Date 05/26/2015

# 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Aluminum chloride

Product Number : 294713 Brand : Aldrich Index-No. : 013-003-00-7

CAS-No. : 7446-70-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

# 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin corrosion (Category 1B), H314

Serious eye damage (Category 1), H318

Specific target organ toxicity - repeated exposure, Inhalation (Category 1), Lungs, H372

Specific target organ toxicity - repeated exposure, Oral (Category 2), Central nervous system, H373

Acute aquatic toxicity (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H372 Causes damage to organs (Lungs) through prolonged or repeated

exposure if inhaled.

H373 May cause damage to organs (Central nervous system) through

prolonged or repeated exposure if swallowed.

H402 Harmful to aquatic life.

Precautionary statement(s)

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Aldrich - 294713 Page 1 of 8

P264 Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. P270 P273 Avoid release to the environment. Wear protective gloves/ protective clothing/ eve protection/ face P280 protection. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated P303 + P361 + P353 clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position P304 + P340 + P310 comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. P314 Get medical advice/ attention if you feel unwell. P363 Wash contaminated clothing before reuse. P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Reacts violently with water.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Formula : AICl<sub>3</sub>

Molecular weight : 133.34 g/mol CAS-No. : 7446-70-0 EC-No. : 231-208-1 Index-No. : 013-003-00-7

# **Hazardous components**

Component	Classification	Concentration			
Aluminium chloride anhydrous					
	Skin Corr. 1B; Eye Dam. 1; STOT RE 1; STOT RE 2; Aquatic Acute 3; H314, H318, H372, H373, H402	<= 100 %			

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

### It inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Aldrich - 294713 Page 2 of 8

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

Hydrogen chloride gas, Aluminum oxide

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

No data available

### 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Store under inert gas. Vent periodically. Handle and open container with care. Keep in a dry place.

Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

Components with workplace control parameters

Aldrich - 294713 Page 3 of 8

Component	CAS-No.	Value	Control	Basis
			parameters	
Aluminium chloride	7446-70-0	TWA	2.000000	USA. NIOSH Recommended
anhydrous			mg/m3	Exposure Limits

# 8.2 Exposure controls

# **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

b) Odour

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: powder

Colour: light yellow
No data available

c) Odour Threshold No data available

d) pH 2.4 at 100 g/l at 20 °C (68 °F)

e) Melting point/freezing Melting point/range: 190 °C (374 °F) - lit.

Aldrich - 294713 Page 4 of 8

point

Initial boiling point and

boiling range

187.7 °C (369.9 °F) at 1,003 hPa (752 mmHg)

Flash point Not applicable g)

No data available h) Evaporation rate

i) Flammability (solid, gas) No data available

Upper/lower flammability or explosive limits No data available

1.33 hPa (1.00 mmHg) at 100 °C (212 °F) Vapour pressure

< 1.33 hPa (< 1.00 mmHg) at 20 °C (68 °F)

I) Vapour density No data available m) Relative density 2.4400 g/cm3

Water solubility soluble

Partition coefficient: n-

octanol/water

No data available

p) Auto-ignition

No data available

temperature Decomposition

No data available

temperature

Viscosity No data available r)

s) Explosive properties No data available No data available Oxidizing properties

9.2 Other safety information

> Bulk density 1,200 kg/m3

# 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Avoid moisture.

#### 10.5 Incompatible materials

Strong oxidizing agents, Alcohols, Mixtures of nitrobenzene and aluminum chloride are thermally unstable and may lead to explosive decomposition due to a multi-step decomposition reaction occurring above 90 degrees C, which selfaccelerates with high exothermicity producing azo- and azoxypolymers.

### Hazardous decomposition products

In the event of fire: see section 5

### 11. TOXICOLOGICAL INFORMATION

# Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - 3,450 mg/kg

Inhalation: No data available

Aldrich - 294713 Page 5 of 8 Dermal: No data available

No data available

# Skin corrosion/irritation Serious eye damage/eye irritation

Eyes - Human

Result: Severe eye irritation

# Respiratory or skin sensitisation

- Guinea pig

Result: Did not cause sensitisation on laboratory animals.

(Maximisation Test (GPMT))

### Germ cell mutagenicity

No data available

# Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

### Reproductive toxicity

Laboratory experiments have shown teratogenic effects.

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

### Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

Oral - The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2. - Central nervous system

Inhalation - The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1. - Lungs

## **Aspiration hazard**

No data available

### **Additional Information**

RTECS: BD0525000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, prolonged or repeated exposure can cause:, Damage to the lungs.

Damage to the lungs. - Irregularities - Based on Human Evidence Damage to the lungs. - Irregularities - Based on Human Evidence

### 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity to fish static test LC50 - Salmo gairdneri - 36.6 mg/l - 96 h

Toxicity to daphnia and static test EC50 - Daphnia magna (Water flea) - 27.3 mg/l - 48 h

invertebrates

other aquatic (EG 84/449)

Toxicity to algae EC50 - Pseudokirchneriella subcapitata (green algae) - 0.57 mg/l - 96 h

Aldrich - 294713 Page 6 of 8

### 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life.

No data available

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life.

### 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

### **Product**

Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

## Contaminated packaging

Dispose of as unused product.

### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1726 Class: 8 Packing group: II

Proper shipping name: Aluminum chloride, anhydrous

Reportable Quantity (RQ): 100 lbs

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1726 Class: 8 Packing group: II EMS-No: F-A, S-B

Proper shipping name: ALUMINIUM CHLORIDE, ANHYDROUS

Marine pollutant:yes

**IATA** 

UN number: 1726 Class: 8 Packing group: II

Proper shipping name: Aluminium chloride, anhydrous

# 15. REGULATORY INFORMATION

# **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

# **Massachusetts Right To Know Components**

CAS-No. Revision Date Aluminium chloride anhydrous 7446-70-0 1993-04-24

# **Pennsylvania Right To Know Components**

Aldrich - 294713 Page 7 of 8

CAS-No. Revision Date Aluminium chloride anhydrous 7446-70-0 1993-04-24

**New Jersey Right To Know Components** 

CAS-No. Revision Date 7446-70-0 1993-04-24

Aluminium chloride anhydrous

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# **16. OTHER INFORMATION**

### Full text of H-Statements referred to under sections 2 and 3.

Aquatic Acute Acute aquatic toxicity
Eye Dam. Acute aquatic toxicity
Serious eye damage

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H372 Causes damage to organs through prolonged or repeated exposure if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure if swallowed.

H402 Harmful to aquatic life.

Skin Corr. Skin corrosion

STOT RE Specific target organ toxicity - repeated exposure

**HMIS Rating** 

Health hazard: 3
Chronic Health Hazard: \*
Flammability: 0
Physical Hazard 2

**NFPA** Rating

Health hazard: 3
Fire Hazard: 0
Reactivity Hazard: 2
Health hazard: 3
Fire Hazard: 0
Reactivity Hazard: 0

### **Further information**

Copyright 2015 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.9 Revision Date: 03/03/2015 Print Date: 05/26/2015

Aldrich - 294713 Page 8 of 8