Page 1 Date Printed 10/29/15 MSDS No: M01616

# SAFETY DATA SHEET

## **1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

Product Name: Phosphate Acid Reagent Vials Catalog Number: 2742645VIAL

Hach Company P.O.Box 389 Loveland, CO USA 80539 (970) 669-3050 Emergency Telephone Numbers: (Medical and Transportation) (303) 623-5716 24 Hour Service (515)232-2533 8am - 4pm CST

MSDS Number: M01616 Chemical Name: Not applicable CAS Number: Not applicable Additional CAS No. (for hydrated forms): Not applicable Chemical Formula: Not applicable Chemical Family: Not applicable Intended Use: Laboratory Use

## 2. HAZARDS IDENTIFICATION

#### **GHS** Classification:

*Hazard categories:* Skin Corrosion/Irritation: Skin Irrit. 2 Serious Eye Damage/Eye Irritation: Eye Irrit. 2 Corrosive to Metals: Met. Corr. 1

GHS Label Elements: WARNING



*Hazard statements:* May be corrosive to metals. Causes skin irritation. Causes serious eye irritation. *Precautionary statements:* Wear protective gloves / protective clothing / eye protection / face protection. Wash thoroughly after handling. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Keep only in original container. Absorb spillage to prevent material damage. P406 Store in corrosive resistant container with a resistant inner liner.

## HMIS:

Health: 1
Flammability: 0
Reactivity: 0
Protective Equipment: X - See protective equipment, Section 8.
NFPA:
Health: 3
Flammability: 0
Reactivity: 0
Symbol: Not applicable
WHMIS Hazard Classification: Class E - Corrosive material Class D, Division 2, Subdivision A - Very toxic materials (other toxic effects)
WHMIS Symbols: Corrosive Other Toxic Effects

## **3. COMPOSITION / INFORMATION ON INGREDIENTS**

Hazardous Components according to GHS:

Page 2 Date Printed 10/29/15 MSDS No: M01616

#### Sulfuric Acid

CAS Number: 7664-93-9 Chemical Formula: H<sub>2</sub>SO<sub>4</sub> GHS Classification: Met. Corr. 1 H290; Skin Corr. 1A, H314; Aquatic Acute 3, H402 Percent Range (Trade Secret): 1 - 9 Percent Range Units: weight / weight PEL: 1 mg/m<sup>3</sup> TLV: 1 mg/m<sup>3</sup>

WHMIS Symbols: Acute PoisonCorrosive Hazardous Components according to GHS: No Demineralized Water

CAS Number: 7732-18-5
Chemical Formula: H<sub>2</sub>O
GHS Classification: Not a dangerous substance according to GHS.
Percent Range (Trade Secret): > 90.0
Percent Range Units: weight / weight
PEL: Not established
TLV: Not established

WHMIS Symbols: Not applicable

# 4. FIRST AID MEASURES

*General Information:* In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

*Advice to doctor:* Treat symptomatically.

*Eye Contact:* Immediately flush eyes with water for 15 minutes. Call physician.

*Skin Contact (First Aid):* Wash skin with plenty of water. Remove contaminated clothing. Call physician if irritation develops.

*Inhalation:* Remove to fresh air.

*Ingestion (First Aid):* Do not induce vomiting. Give 1-2 glasses of water. Call physician immediately. Never give anything by mouth to an unconscious person.

## **5. FIRE FIGHTING MEASURES**

*Flammable Properties:* Material is not classified as flammable according to GHS criteria. Material will not burn. *Fire Fighting Instruction:* As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

*Extinguishing Media:* Use media appropriate to surrounding fire conditions *Extinguishing Media NOT To Be Used:* Not applicable *Fire / Explosion Hazards:* This product will not burn or explode. *Hazardous Combustion Products:* This material will not burn.

## 6. ACCIDENTAL RELEASE MEASURES

#### Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

*Containment Technique:* Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment.

*Clean-up Technique:* If permitted by regulation, Cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up slurry into a large beaker. Dilute with a large excess of water. Adjust to a pH between 6 and 9. Use sulfuric or citric acid to lower pH. Use soda ash or sodium bicarbonate to increase pH. Flush reacted material to the

Page 3 Date Printed 10/29/15 MSDS No: M01616

drain with a large excess of water. Decontaminate the area of the spill with a soap solution. Otherwise, Pick up spill for disposal and place in a closed container Dispose of in accordance with local, state and federal regulations or laws. *Evacuation Procedure:* Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. If conditions warrant, increase the size of the evacuation. *DOT Emergency Response Guide Number:* 154

# 7. HANDLING AND STORAGE

Handling: Avoid contact with eyes Do not breathe mist or vapors. Use with adequate ventilation. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.
Storage: Store between 10° and 25°C.
Flammability Class: Not applicable

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

*Engineering Controls:* Have an eyewash station nearby. Use general ventilation to minimize exposure to mist, vapor or dust. Maintain general industrial hygiene practices when using this product.

 Personal Protective Equipment:

 Eye Protection:
 chemical splash goggles

 Skin Protection:
 disposable latex gloves
 lab coat

 Inhalation Protection:
 adequate ventilation

 Precautionary Measures:
 Avoid contact with:
 eyes
 skin
 Do not breathe:
 mist/vapor
 Use with adequate ventilation.

 Protect from:
 heat

 TLV:
 Sulfuric acid: 1 mg/m<sup>3</sup>

 PEL:
 Sulfuric acid: 1 mg/m<sup>3</sup>

 For Occupational Exposure Limits (OEL) for ingredients, see section 3 - Composition/Information on Ingredients.:

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid Physical State: Liquid Molecular Weight: Not applicable Odor: None Odor Threshold: Not applicable *pH*: Not determined Metal Corrosivity: Corrosivity Classification: Classed as corrosive to skin. Not generally classed as corrosive to metals in addition to skin classification. Steel: Not determined Aluminum: Not determined Specific Gravity/ Relative Density (water = 1: air =1): Viscosity: Not determined Solubility: Water: Soluble Acid: Soluble Other: Not determined Partition Coefficient (n-octanol / water): Not applicable *Coefficient of Water / Oil:* Not applicable Melting Point: Not determined Decomposition Temperature: Not applicable **Boiling Point:** Not determined Vapor Pressure: Not determined *Vapor Density (air = 1):* Not determined *Evaporation Rate (water = 1):* Not determined Volatile Organic Compounds Content: Not applicable Flammable Properties: Material is not classified as flammable according to GHS criteria. Material will not burn. Flash Point: Not applicable

Page 4 Date Printed 10/29/15 MSDS No: M01616

Method: Not applicable
Flammability Limits:

Lower Explosion Limits: Not applicable
Upper Explosion Limits: Not applicable

Autoignition Temperature: Not applicable
Explosive Properties:

Not classified according to GHS criteria.

Oxidizing Properties:

Not classified according to GHS criteria.

Reactivity Properties:

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

Gas under Pressure:

Not classified according to GHS criteria.
Not classified according to GHS criteria.

# **10. STABILITY AND REACTIVITY**

Chemical Stability: Stable when stored under proper conditions.
 Mechanical Impact: None reported
 Static Discharge: None reported.
 Reactivity / Incompatibility: Incompatible with: alkalies oxidizers reducers
 Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: sulfur oxides
 Conditions to Avoid: Extreme temperatures Heating to decomposition.

# **11. TOXICOLOGICAL INFORMATION**

Toxicokinetics, Metabolism and Distribution: No information available for mixture. Toxicologically Synergistic Products: None reported Acute Toxicity: Acute Toxicity Estimate (ATE) - Calculated from Ingredient Toxicity Data Practically Non-toxic Based on classification principles, the classification criteria are not met. Specific Target Organ Toxicity - Single Exposure (STOT-SE): Based on classification principles, the classification criteria are not met. Specific Target Organ Toxicity - Repeat Exposure (STOT-RE): Based on classification principles, the classification criteria are not met. Skin Corrosion/Irritation: Irritating to skin. Eye Damage: Irritating to eyes. Sensitization: Based on classification principles, the classification criteria are not met. CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction): Contains Listed Carcinogen Sulfuric acid An ingredient of this mixture is: IARC Group 1: Recognized Carcinogen Sulfuric Acid - The IARC evaluation was based on exposure to the mist or vapor of concentrated sulfuric acid generated during chemical processes. An ingredient of this mixture is: NTP Listed Group 1: Recognized Carcinogen Sulfuric Acid Mist or Vapor This product does NOT contain any OSHA listed carcinogens. Symptoms/Effects: Causes: irritation of the mouth and esophagus May cause: vomiting diarrhea burns of the mouth and Ingestion: esophagus Inhalation: May cause: respiratory tract irritation teeth erosion mouth soreness difficult breathing Skin Absorption: May be absorbed through skin. No effects anticipated Chronic Effects: Chronic overexposure may cause erosion of the teeth chronic irritation or inflammation of the lungs skin irritation eye irritation cancer Medical Conditions Aggravated: Pre-existing: Eye conditions Respiratory conditions

Page 5 Date Printed 10/29/15 MSDS No: M01616

*Product Ecological Information:* Aquatic Toxicity Estimation: Additive Method: 96 hr Lepomis macrochirus LC50 = 230 mg/L; 48 hr Crangon crangon EC50 = 1004 mg/L.

No ecological data available for this product. Based on classification principles, not classified as hazardous to the environment.

Method Used for Estimation of Aquatic Toxicity of Mixture Additivity Method (Acute Toxicity) and Summation Method M-factor (Multiplier) for highly toxic ingredients: 1

*Ingredient Ecological Information:* Sulfuric acid: 96 hr Lepomis macrochirus LC50 = 16-28 mg/L; 24 hr Lepomis macrochirus LC50 = 82 mg/L; 48 hr Crangon crangon EC50 = 70-80 mg/L.

CEPA categorization for each and every ingredient: Persistent Not bioaccumulative and not inherently toxic to aquatic organisms.

## **13. DISPOSAL CONSIDERATIONS**

#### EPA Waste ID Number: D002

*Special Instructions (Disposal):* Work in an approved fume hood. If permitted by regulation, Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Otherwise, Check with national, local municipal and state authorities and waste contractors for pertinent local information on the disposal of this article.

*Empty Containers:* Rinse three times with an appropriate solvent. Dispose of empty container as normal trash. Rinsate from empty containers may contain sufficient product to require disposal as hazardous waste.

**NOTICE (Disposal):** These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

## **14. TRANSPORT INFORMATION**

D.O.T.:

**D.O.T.** Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S. (< 10% Sulphuric Acid Solution) Hazard Class: 8 Subsidiary Risk: NA ID Number: UN3264 Packing Group: III T.D.G.: Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S. (< 10 % Sulphuric Acid Solution) Hazard Class: 8 Subsidiary Risk: NA UN Number/PIN: 3264 **Packing Group:** III I.C.A.O.: I.C.A.O. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S. (<10 % Sulphuric Acid Solution) Hazard Class: 8 Subsidiary Risk: NA ID Number: UN3264 Packing Group: III I.M.O.: Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S. (<10 % Sulphuric Acid Solution) Hazard Class: 8 Subsidiary Risk: NA ID Number: UN3264 Packing Group: III Marine Pollutant:

Page 6 Date Printed 10/29/15 MSDS No: M01616

*Additional Information:* There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

### **15. REGULATORY INFORMATION**

#### U.S. Federal Regulations:

**O.S.H.A.:** This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

*S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370):* Immediate (Acute) Health Hazard Delayed (Chronic) Health Hazard

**S.A.R.A. Title III Section 313 (40 CFR 372):** This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

*302 (EHS) TPQ (40 CFR 355):* Sulfuric Acid 1000 lbs. *304 CERCLA RQ (40 CFR 302.4):* Sulfuric Acid 1000 lbs. *304 EHS RQ (40 CFR 355):* Sulfuric Acid - RQ 1000 lbs. *Clean Water Act (40 CFR 116.4):* Sulfuric acid - RQ 1000 lbs.

**RCRA:** Contains RCRA regulated substances. See Section 13, EPA Waste ID Number.

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

California Perchlorate Rule CCR Title 22 Chap 33: Not applicable

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710). CAS Number: Not applicable

Canadian Inventory Status: All ingredients of this product are DSL Listed.

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

Australian Inventory (AICS) Status: All ingredients are listed.

New Zealand Inventory (NZIoC) Status: All components either listed or exempt.

*Korean Inventory (KECI) Status:* All components of this product are either listed, listed as the anhydrous compound or exempt.

Japan (ENCS) Inventory Status: All components either listed or exempt.

China (PRC) Inventory (MEP) Status: All components either listed or exempt.

# **16. OTHER INFORMATION**

*References:* TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. In-house information. Technical Judgment. Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. Vendor Information. IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans. World Health Organization (Volumes 1-42) Supplement 7. France: 1987.

*Complete Text of H phrases referred to in Section 3:* H314 Causes severe skin burns and eye damage. *Revision Summary:* Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3).

Date of MSDS Preparation:

Day: 30

*Month:* October *Year:* 2014

MSDS Prepared: MSDS prepared by Product Compliance Department extension 3350

**CCOHS Evaluation Note:** This product has been classified and labeled in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3). It is offered under exemption from WHMIS labeling as specified in the Controlled Products Regulation (CPR) Section 17. It is offered under the interim policy that was established by Health Canada permitting use of GHS-formatted safety data sheets in Canada prior to revision of CPR to GHS.

Page 7 Date Printed 10/29/15 MSDS No: M01616

#### Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

**USER RESPONSIBILITY:** Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

#### THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2015