sigma-aldrich.com

SAFETY DATA SHEET

Version 4.3 Revision Date 07/02/2014 Print Date 04/18/2017

| 1. F | PRODUCT | AND | COMPANY | IDENTIFICATION |  |
|------|---------|-----|---------|----------------|--|
|------|---------|-----|---------|----------------|--|

| 1.1 | Product identifiers<br>Product name | :    | Trichloro(3,3,3-trifluoropropyl)silane                             |
|-----|-------------------------------------|------|--|
|     | Product Number<br>Brand             | :    | 452807<br>Aldrich  |
|     | CAS-No.                             | :    | 592-09-6   |
| 1.2 | Relevant identified uses o          | f th | e substance or mixture and uses advised against                    |
|     | Identified uses                     | :    | Laboratory chemicals, Manufacture of substances                    |
| 1.3 | Details of the supplier of t        | he : | safety data sheet  |
|     | Company                             | :    | Sigma-Aldrich<br>3050 Spruce Street<br>SAINT LOUIS MO 63103<br>USA |
|     | Telephone<br>Fax                    | :    | +1 800-325-5832<br>+1 800-325-5052                                 |
| 1.4 | Emergency telephone nun             | nbe  | r  |

## Emergency Phone # : +1-703-527-3887 (CHEMTREC)

## 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



| Signal word  | Danger  |
|--|---|
| Hazard statement(s)<br>H226<br>H314  | Flammable liquid and vapour.<br>Causes severe skin burns and eye damage.  |
| Precautionary statement(s)<br>P210<br>P233<br>P240<br>P241<br>P242<br>P243<br>P264<br>P280 | Keep away from heat/sparks/open flames/hot surfaces No smoking.<br>Keep container tightly closed.<br>Ground/bond container and receiving equipment.<br>Use explosion-proof electrical/ ventilating/ lighting/ equipment.<br>Use only non-sparking tools.<br>Take precautionary measures against static discharge.<br>Wash skin thoroughly after handling.<br>Wear protective gloves/ protective clothing/ eye protection/ face<br>protection. |

| P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting   | g.                 |
|--|--------------------|
| P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all clothing. Rinse skin with water/ shower.                   | contaminated       |
| P304 + P340 IF INHALED: Remove victim to fresh air and keep at res<br>comfortable for breathing.                                     | st in a position   |
| P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several min contact lenses, if present and easy to do. Continue rinsi |                    |
| P310 Immediately call a POISON CENTER or doctor/ physicia  | an.                |
| P321 Specific treatment (see supplemental first aid instruction  | ns on this label). |
| P363 Wash contaminated clothing before reuse.  |                    |
| P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resection.  | sistant foam for   |
| P403 + P235 Store in a well-ventilated place. Keep cool.   |                    |
| P405 Store locked up.  |                    |
| P501 Dispose of contents/ container to an approved waste dis   | sposal plant.      |

**2.3 Hazards not otherwise classified (HNOC) or not covered by GHS** Reacts violently with water.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1 Substances

| Synonyms   | : | 3,3,3-Trifluoropropyl-trichlorosilane  |
|--|---|--|
| Formula<br>Molecular Weight<br>CAS-No.<br>EC-No. |   | C <sub>3</sub> H <sub>4</sub> Cl <sub>3</sub> F <sub>3</sub> Si<br>231.50 g/mol<br>592-09-6<br>209-744-2 |
|  |   |  |

## Hazardous components

| Component                                  | Classification                           | Concentration |
|--|--|---------------|
| Trichloro(3,3,3-trifluoropropyl)silan      | e  |               |
|  | Flam. Liq. 3; Skin Corr. 1B;             | -             |
|  | Eye Dam. 1; H226, H314                   |               |
| For the full tout of the LL Ctaters ante m | antioned in this Section, and Section 16 |               |

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

- **4.2** Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3** Indication of any immediate medical attention and special treatment needed no data available

## **5. FIREFIGHTING MEASURES**

## 5.1 Extinguishing media

Suitable extinguishing media Dry powder

5.2 Special hazards arising from the substance or mixture Carbon oxides, Hydrogen chloride gas, Hydrogen fluoride, silicon oxides

## 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information no data available

## 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive

concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

#### **6.2** Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

- 6.3 Methods and materials for containment and cleaning up Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Do not flush with water.
- 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Never allow product to get in contact with water during storage.

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

**Components with workplace control parameters** Contains no substances with occupational exposure limit values.

## 8.2 Exposure controls

## Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

#### **Eye/face protection**

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

°F)

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

| a) | Appearance   | Form: clear, liquid<br>Colour: colourless |
|----|--|---|
| b) | Odour  | no data available                         |
| c) | Odour Threshold                                    | no data available                         |
| d) | рН   | no data available                         |
| e) | Melting point/freezing point                       | no data available                         |
| f) | Initial boiling point and boiling range            | 114 °C (237 °F) - lit.                    |
| g) | Flash point  | 27 °C (81 °F) - closed cup                |
| h) | Evapouration rate                                  | no data available                         |
| i) | Flammability (solid, gas)                          | no data available                         |
| j) | Upper/lower<br>flammability or<br>explosive limits | no data available                         |
| k) | Vapour pressure                                    | no data available                         |
| I) | Vapour density                                     | no data available                         |
| m) | Relative density                                   | 1.419 g/cm3 at 25 °C (77 °                |
| n) | Water solubility                                   | no data available                         |
| o) | Partition coefficient: n-<br>octanol/water         | no data available                         |
| p) | Auto-ignition<br>temperature                       | no data available                         |
| q) | Decomposition<br>temperature                       | no data available                         |
| r) | Viscosity  | no data available                         |
| s) | Explosive properties                               | no data available                         |
| t) | Oxidizing properties                               | no data available                         |
|    | <b>her safety information</b><br>data available    |   |

9.2

## **10. STABILITY AND REACTIVITY**

- 10.1 Reactivity no data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** Vapours may form explosive mixture with air.Reacts violently with water.
- **10.4** Conditions to avoid Heat, flames and sparks. Exposure to moisture.
- **10.5** Incompatible materials Oxidizing agents, Water, acids, Bases, Alcohols
- **10.6 Hazardous decomposition products** Other decomposition products - no data available In the event of fire: see section 5

## **11. TOXICOLOGICAL INFORMATION**

## 11.1 Information on toxicological effects

## Acute toxicity

no data available

Inhalation: no data available

Dermal: no data available

no data available

# Skin corrosion/irritation no data available

Serious eye damage/eye irritation no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

## Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

## **Reproductive toxicity**

no data available

no data available

Specific target organ toxicity - single exposure no data available

Specific target organ toxicity - repeated exposure no data available

## Aspiration hazard

no data available

## **Additional Information**

**RTECS:** Not available

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea

## **12. ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

no data available

- 12.2 Persistence and degradability no data available
- **12.3 Bioaccumulative potential** no data available
- **12.4 Mobility in soil** no data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Other adverse effects

no data available

## **13. DISPOSAL CONSIDERATIONS**

## 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

## Contaminated packaging

Dispose of as unused product.

## **14. TRANSPORT INFORMATION**

## DOT (US)

UN number: 2986 Class: 8 (3) Packing group: II Proper shipping name: Chlorosilanes, corrosive, flammable, n.o.s. Marine pollutant: No Poison Inhalation Hazard: No

## IMDG

UN number: 2986 Class: 8 (3) Packing group: II EMS-No: F-E, S-C Proper shipping name: CHLOROSILANES, CORROSIVE, FLAMMABLE, N.O.S. Marine pollutant: No

## ΙΑΤΑ

UN number: 2986 Class: 8 (3) Packing group: II Proper shipping name: Chlorosilanes, corrosive, flammable, n.o.s. IATA Passenger: Not permitted for transport

## **15. REGULATORY INFORMATION**

## SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

## SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## SARA 311/312 Hazards

Fire Hazard

#### Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

| Pennsylvania Right To Know Components  |          |               |
|--|----------|---------------|
|  | CAS-No.  | Revision Date |
| Trichloro(3,3,3-trifluoropropyl)silane | 592-09-6 |               |
| New Jersey Right To Know Components    |          |               |
|  | CAS-No.  | Revision Date |
| Trichloro(3,3,3-trifluoropropyl)silane | 592-09-6 |               |

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **16. OTHER INFORMATION**

## Full text of H-Statements referred to under sections 2 and 3.

| Eye Dam.   | Serious eye damage                       |
|------------|--|
| Flam. Liq. | Flammable liquids                        |
| H226       | Flammable liquid and vapour.             |
| H314       | Causes severe skin burns and eye damage. |
| H318       | Causes serious eye damage.               |
| Skin Corr. | Skin corrosion                           |

#### **HMIS** Rating

| Health hazard:                | 0      |  |
|-------------------------------|--------|--|
| Chronic Health Hazard:        |        |  |
| Flammability:                 | 3      |  |
| Physical Hazard               | 0      |  |
| -                             |        |  |
| NFPA Rating                   |        |  |
| NFPA Rating<br>Health hazard: | 0      |  |
| •                             | 0<br>3 |  |

#### Further information

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

## **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.3

Revision Date: 07/02/2014

Print Date: 04/18/2017