Page 1 Date Printed 10/28/15 MSDS No: M00224

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

I, CHEMICHET RODUCT IN (D. COMITINAT IDENA

Product Name: Phosphate Standard Solution, 1 mg/l as PO₄

Catalog Number: 256949

Hach Company P.O.Box 389 Loveland, CO USA 80539 (970) 669-3050 Emergency Telephone Numbers: (Medical and Transportation) (303) 623-5716 24 Hour Service (515)232-2533 8am - 4pm CST

MSDS Number: M00224 Chemical Name: Not applicable CAS Number: Not applicable

Additional CAS No. (for hydrated forms): Not applicable

Chemical Formula: Not applicable Chemical Family: Not applicable Intended Use: Standard solution

2. HAZARDS IDENTIFICATION

This mixture is not classified as hazardous per GHS (UN publication ST/SG/AC.10/36/Add.3)

GHS Classification:

Hazard categories: Not applicable

GHS Label Elements:
Not applicable

Hazard statements: Not applicable Precautionary statements: Not applicable

HMIS:

Health: 0

Flammability: 0

Reactivity: 0

Protective Equipment: X - See protective equipment, Section 8.

NFPA: Health: 0 Flammability: 0 Reactivity: 0

Symbol: Not applicable

WHMIS Hazard Classification: Not applicable

WHMIS Symbols: Not applicable

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components according to GHS:

Formaldehyde

CAS Number: 50-00-0 Chemical Formula: CH₂O

GHS Classification: Flam. Liq. 4, H227; Acute Tox. 3 -Orl, H301; Acute Tox. 3 -Derm, H311; Skin Corr. 1B, H314; Skin Sens. 1, H317; Acute Tox. 3-Inh, H331; Resp. Sens. 1, H334; Muta. 2, H341; Carc. 2, H351; Repr. 2, H361; STOT

Single 1, H370; Aquatic Acute 2, H401 Percent Range (Trade Secret): < 0.1 Percent Range Units: weight / weight

Page 2 Date Printed 10/28/15 MSDS No: M00224

PEL: 0.75 ppm **TLV:** 0.3 ppm

WHMIS Symbols: Acute PoisonOther Toxic Effects

Methyl Alcohol

CAS Number: 67-56-1 Chemical Formula: CH₃OH

GHS Classification: Flam. Liq 2, H225; Acute Tox 3 -Orl, H301; Acute Tox 3 -Derm, H311; Skin Irrit. 2, H315; Eye

Irrit. 2A, H319; Acute Tox 3 -Inh, H331; Muta. 2, H341; Repr. 2, H361; STOT SE1, H370

Percent Range (Trade Secret): < 0.1 Percent Range Units: weight / weight

PEL: 200 ppm **TLV:** 200 ppm

WHMIS Symbols: Acute PoisonFlammable / CombustibleOther Toxic Effects

Potassium Phosphate, Monobasic

CAS Number: 7778-77-0 Chemical Formula: KH₂PO₄

GHS Classification: Acute Tox. 4 - Orl, H302; Eye Irrit. 2, H319

Percent Range (Trade Secret): < 0.01 Percent Range Units: weight / weight

PEL: 15 mg/m³ as total dust; 5 mg/m³ as respirable dust

TLV: 10 mg/m³ as inhalable fraction; 3 mg/m³ as respirable fraction

WHMIS Symbols: Not applicable Hazardous Components according to GHS: No

Demineralized Water

CAS Number: 7732-18-5 *Chemical Formula:* H₂O

GHS Classification: Not a dangerous substance according to GHS.

Percent Range (Trade Secret): > 99.0 **Percent Range Units:** weight / weight

PEL: Not established **TLV:** Not established

WHMIS Symbols: Not applicable

4. FIRST AID MEASURES

General Information: In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor

Advice to doctor: Treat symptomatically.

Eye Contact: Call physician if irritation develops. Immediately flush eyes with water for 15 minutes.

Skin Contact (First Aid): Wash skin with plenty of water. Call physician if irritation develops. Remove contaminated

Inhalation: Remove to fresh air.

Ingestion (First Aid): Give large quantities of water. If you feel unwell, contact a physician. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

Flammable Properties: Material is not classified as flammable according to GHS criteria. Material will not burn. **Fire Fighting Instruction:** As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

Extinguishing Media: Use media appropriate to surrounding fire conditions

Page 3
Date Printed 10/28/15
MSDS No: M00224

Extinguishing Media NOT To Be Used: Not applicable

Fire / Explosion Hazards: This product will not burn or explode. May react violently with: strong acids strong bases

alkali metals

Hazardous Combustion Products: This material will not burn.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Containment Technique: Stop spilled material from being released to the environment. Absorb spilled liquid with non-reactive sorbent material.

Clean-up Technique: Cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up slurry into a large beaker. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate.

Decontaminate the area of the spill with a soap solution. Pick up spill for disposal and place in a closed container Dispose of in accordance with local, state and federal regulations or laws.

Evacuation Procedure: Evacuate as needed to perform spill clean-up. If conditions warrant, increase the size of the evacuation

DOT Emergency Response Guide Number: Not applicable

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin clothing Wash thoroughly after handling. Use with adequate ventilation. Do not breathe mist or vapors. Maintain general industrial hygiene practices when using this product.

Storage: Store between 10° and 25°C. Protect from: heat extreme temperatures freezing Keep away from: acids /

acid fumes. bases alkali metals *Flammability Class:* Not applicable

7

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin Protection: nitrile gloves

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin clothing Wash thoroughly after handling. Use with adequate ventilation. Do not breathe: mist/vapor Protect from: heat freezing Keep away from: acids/acid fumes

bases alkali metals *TLV*: Not established *PEL*: Not established

For Occupational Exposure Limits (OEL) for ingredients, see section 3 - Composition/Information on Ingredients.:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid

Physical State: Liquid

Molecular Weight: Not applicable

Odor: Odorless

Odor Threshold: Not applicable

pH: 5

Metal Corrosivity:

Corrosivity Classification: Not classified as corrosive to metals according to GHS criteria.

Steel: Not determined **Aluminum:** Not determined

Specific Gravity/Relative Density (water = 1; air =1): 0.986

Page 4
Date Printed 10/28/15
MSDS No: M00224

Viscosity: 1.0 mPas

Solubility:

Water: Soluble Acid: Soluble

Other: Soluble in alcohol.

Partition Coefficient (n-octanol / water): Not applicable

Coefficient of Water / Oil: Not applicable

Melting Point: 0 °C (32 °F)

Decomposition Temperature: Not applicable

Boiling Point: 100 °C (212 °F)

Vapor Pressure: 23 mm Hg @ 25 °C (77 °F)

Vapor Density (air = 1): 0.62Evaporation Rate (water = 1): 0.99

Volatile Organic Compounds Content: Not applicable

Flammable Properties: Material is not classified as flammable according to GHS criteria. Material will not burn.

Flash Point: Not applicable Method: Not applicable Flammability Limits:

Lower Explosion Limits: Not applicable Upper Explosion Limits: Not applicable Autoignition Temperature: Not applicable

Explosive Properties:

Not classified according to GHS criteria.

Oxidizing Properties:

Not classified according to GHS criteria.

Reactivity Properties:

Not classifed as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

Gas under Pressure:

Not classified according to GHS criteria.

10. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Mechanical Impact: No Static Discharge: No

Reactivity / Incompatibility: May react violently in contact with: strong acids strong bases alkali metals

Hazardous Decomposition: No hazardous decomposition products known.

Conditions to Avoid: Extreme temperatures Excessive heat Freezing conditions Contact with acid or acid fumes

Incompatibles

11. TOXICOLOGICAL INFORMATION

Toxicokinetics, Metabolism and Distribution: No information available for mixture.

Toxicologically Synergistic Products: None reported

Acute Toxicity: Acute Toxicity Estimate (ATE) - Calculated from Ingredient Toxicity Data Practically Non-toxic Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity - Single Exposure (STOT-SE): Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity - Repeat Exposure (STOT-RE): Based on classification principles, the classification criteria are not met.

Skin Corrosion/Irritation: Based on classification principles, the classification criteria are not met.

Eye Damage: Based on classification principles, the classification criteria are not met.

Sensitization: Based on classification principles, the classification criteria are not met.

CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction): Based on classification principles, the classification criteria are not met.

An ingredient of this mixture is: IARC Group 1: Recognized Carcinogen

Formaldehyde

Page 5
Date Printed 10/28/15
MSDS No: M00224

An ingredient of this mixture is: NTP Listed Group 1: Recognized Carcinogen

Formaldehyde

An ingredient of this product is an OSHA listed carcinogen.

Formaldehyde

Symptoms/Effects:

Ingestion: No Effects Anticipated Practically non-toxic

Inhalation: No effects anticipated
Skin Absorption: No effects anticipated
Chronic Effects: No effects anticipated
Medical Conditions Aggravated: None reported

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

Based on classification principles, not classified as hazardous to the environment. No bioaccumulation potential Mobility in soil: Highly mobile

Method Used for Estimation of Aquatic Toxicity of Mixture Summation Method M-factor (Multiplier) for highly toxic ingredients: 1

Ingredient Ecological Information: Formaldehyde: 96 hr Fish LC50 = 52.5 mg/L; 48 hr Crustacea EC50 = 14 mg/L. CEPA Categorization: Formaldehyde: Not persistent. Not bioaccumulative. Not inherently toxic to aquatic organisms; Methanol: Not persistent, bioaccumulative or inherently toxic to aquatic organisms.

CEPA Categorization: Potassium Hydrogen Phosphate, Water: Persistent, not bioaccumualtive or inherently toxic to aquatic organisms.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: Not applicable

Special Instructions (Disposal): Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. If permitted by regulation, Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Otherwise, Check with national, local municipal and state authorities and waste contractors for pertinent local information on the disposal of this article.

Empty Containers: Working in a well-ventilated area, Rinse three times with an appropriate solvent. Collect rinsate and dispose of according to local, state or federal regulations. In the US, rinsate from empty containers is classified as hazardous waste and should be disposed of at an E.P. A. approved facility. Rinsate from empty containers may contain sufficient product to require disposal as hazardous waste. Dispose of empty container as normal trash.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Not Currently Regulated

Hazard Class: NA
Subsidiary Risk: NA
ID Number: NA
Packing Group: NA

Proper Shipping Name: Not Currently Regulated

Hazard Class: NA Subsidiary Risk: NA UN Number/PIN: NA Packing Group: NA

Page 6
Date Printed 10/28/15
MSDS No: M00224

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Not Currently Regulated

Hazard Class: NA Subsidiary Risk: NA

ID Number: NA Packing Group: NA

I.M.O.:

Proper Shipping Name: Not Currently Regulated

-- 1

Hazard Class: NA
Subsidiary Risk: NA
ID Number: NA
Packing Group: NA
Marine Pollutant:

Additional Information: There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product does not meet the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): This product is not hazardous under 29 CFR.1910.1200 and therefore is not covered by Title III under SARA.

S.A.R.A. Title III Section 313 (40 CFR 372): This product contains a chemical(s) subject to the reporting requirements of Section 313 of Title III of SARA.

Formaldehyde; Methanol

302 (EHS) TPQ (40 CFR 355): Formaldehyde 500 lbs.

304 CERCLA RQ (40 CFR 302.4): Formaldehyde 100 lbs. Methanol 5000 lbs.

304 EHS RQ (40 CFR 355): Formaldehyde - RQ 100 lbs

Clean Water Act (40 CFR 116.4): Formaldehyde - RQ 100 lbs.

RCRA: Contains RCRA regulated substances. See Section 13, EPA Waste ID Number.

State Regulations:

California Prop. 65: WARNING - This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Identification of Prop. 65 Ingredient(s): Methanol

California Perchlorate Rule CCR Title 22 Chap 33: Not applicable

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

CAS Number: Not applicable

Canadian Inventory Status: All ingredients of this product are DSL Listed.

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

Australian Inventory (AICS) Status: All ingredients are listed.

New Zealand Inventory (NZIoC) Status: All components either listed or exempt.

Korean Inventory (KECI) Status: All components of this product are either listed, listed as the anhydrous compound or exempt.

Japan (ENCS) Inventory Status: All components either listed or exempt.

China (PRC) Inventory (MEP) Status: All components either listed or exempt.

16. OTHER INFORMATION

Page 7
Date Printed 10/28/15
MSDS No: M00224

References: TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. In-house information. Technical Judgment.

Complete Text of H phrases referred to in Section 3: H225 Highly flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

Revision Summary: . Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3).

Date of MSDS Preparation:

Day: 18
Month: August
Year: 2015

MSDS Prepared: MSDS prepared by Product Compliance Department extension 3350

CCOHS Evaluation Note: This product has been classified and labeled in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3). It is offered under exemption from WHMIS labeling as specified in the Controlled Products Regulation (CPR) Section 17. It is offered under the interim policy that was established by Health Canada permitting use of GHS-formatted safety data sheets in Canada prior to revision of CPR to GHS. This SDS has been prepared in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3).

Legend:

NA - Not Applicable w/w - weight/weight
ND - Not Determined w/v - weight/volume
NV - Not Available v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2015